


Get Latest Jul-2022 Conduct effective penetration tests using TopExamCollection 2V0-41.20 exam [Q55-Q70]



Get Latest [Jul-2022 Conduct effective penetration tests using TopExamCollection 2V0-41.20

Penetration testers simulate 2V0-41.20 exam PDF NO.55 How is the RouterLink port created between a Tier-1 Gateway and Tier-0 Gateway?

- * Automatically created when Tier-1 is created.
- * Manually create a Segment and connect to both Tier-1 and Tier-0 Gateways.
- * Manually create a Logical Switch and connect to both Tier-1 and Tier-0 Gateways.
- * Automatically created when Tier-1 is connected with Tier-0 from NSX UI.

Explanation

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/administration/GUID-3F163DEE-1EE6-4D80-BE>

NO.56 An NSX administrator is configuring the KVM hypervisor host as a transport node and wants to apply the Failover Order as a NIC teaming policy.

Which profile allows the administrator to configure the NIC Teaming policy as Failover Order?

- * N-VDS/VDS Profile
- * Transport Node Profile
- * Host Switch Profile
- * Uplink Profile

NO.57 Which statement is true about an alarm in a Suppressed state?

- * An alarm can be suppressed for a specific duration in days.
- * An alarm can be suppressed for a specific duration in minutes.
- * An alarm can be suppressed for a specific duration in seconds.
- * An alarm can be suppressed for a specific duration in hours.

NO.58 Which command is used to display the network configuration of the Tunnel Endpoint (TEP) IP on a bare metal transport node?

- * ifconfig
- * tcpdump
- * debug
- * ipconfig

Reference:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.0/installation/GUID-B7E7371E-A9F6-4880-B184-E00A62C0C818.html>

NO.59 An NSX administrator is planning to deploy a multi-tier routing topology in their NSX-T Data Center environment to provide north-south connectivity for the VMs.

Which routing component must be deployed?

- * Tier-1 Gateway
- * Edge Services Gateway
- * Tier-0 Gateway
- * Layer 2 Gateway

NO.60 When running nsxcli on an ESXi host, which command will show the Replication mode?

- * get logical-switch <Local-Switch-UUID> status
- * get logical-switch <Logical-Switch-UUID>
- * get logical-switches
- * get logical-switch status

NO.61 Which CLI command does an NSX administrator run on the NSX Manager to generate support bundle logs if the NSX UI is inaccessible?

- * get support-bundle file vcpnv.tgz
- * set support-bundle file vcpnv.tgz
- * vm-support
- * esxcli system syslog config logger set –id=nsxmanager

NO.62 An NSX administrator is troubleshooting a connectivity issue with virtual machines running on an ESXi transport node.

Which feature in the NSX UI shows the mapping between the virtual NIC and the host's physical adapter?

- * Switch Visualization
- * Port Mirroring

- * Activity Monitoring
- * IPFIX

NO.63 Which three services are compatible with VRF Lite? (Choose three.)

- * VPN
- * Intrusion Detection
- * NAT
- * Load Balancer
- * DHCP

VRF Lite is not compatible with the following services:

-VPN

-Load Balancer

Taken from NSX-T ICM 3.0 Lecture Manual.

NO.64 Which two choices are solutions of the NSX portfolio (Choose two.)?

- * vRealize Automation
- * NSX Distributed IDS/IPS
- * vRealize Network Insight
- * Tanzu Kubernetes Grid
- * NSX Service Mesh

NO.65 What is the most restrictive NSX-T built-in role which will allow a user to apply configuration changes on a NSX Edge?

- * Cloud Service Administrator
- * Network Engineer
- * Network Operator
- * NSX Administrator

NO.66 Which two BGP configuration parameters can be configured in the VRF Lite gateways? (Choose two.)

- * Route Aggregation
- * Route Distribution
- * Graceful Restart
- * BGP Neighbors
- * Local AS

Explanation

The following parameters are inherited from the default Tier-0 gateway and cannot be modified at the VRF level:

- * Local AS
- * Graceful restart
- * Graceful restart timer
- * Graceful restart stale timer
- * Multipath relax

Inter-SR iBGP is not supported in VRF gateways.

BGP can be enabled or disabled per VRF gateway.

Route aggregation and BGP neighbors are local configurations per VRF.

NO.67 Which three steps must be carried out to configure North-South / East-West Network Inspection? (Choose three.)

- * Service Deployment
- * Service Insertion
- * Service Consumption
- * Service Registration
- * Service Introspection

NO.68 Which three can an administrator define in a transport node profile? (Choose three.)

- * Logical Router
- * Segment Profile
- * Segment
- * Uplink Profile
- * VDS switch configuration
- * N-VDS switch configuration

NO.69 Which two ports are used by a transport node to communicate with the management and control planes in NSX-T Data Center 3.0? (Choose two.)

- * 5685
- * 1235
- * 5671
- * 5678
- * 1234

The NSX Manager management plane communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1234. CCP communicates with the transport nodes by using APH Server over NSX-RPC/TCP through port 1235. Taken from NSX-T ICM 3.0 Lecture manual

NO.70 When running nsxclon on an ESXi host, which command will show the Replication mode?

- * get logical-switch <Local-Switch-UUID> status
- * get logical-switch <Logical-Switch-UUID>
- * get logical-switches
- * get logical-switch status

Explanation/Reference:

Tested Material Used To 2V0-41.20 Test Engine: <https://www.topexamcollection.com/2V0-41.20-vce-collection.html>