


[Q161-Q175 Ensure Success With Updated Verified NCP-MCI-5.20 Exam Dumps [2023]



[Q161-Q175] Ensure Success With Updated Verified NCP-MCI-5.20 Exam Dumps [2023]

Ensure Success With Updated Verified NCP-MCI-5.20 Exam Dumps [2023]
Exam Materials for You to Prepare & Pass NCP-MCI-5.20 Exam.

Nutanix NCP-MCI-5.20 Exam Syllabus Topics:

TopicDetailsTopic 1- Determine when to create an additional OVS bridge in an AHV environment- Explain the need to separate 1GbE and 10GbE interfacesTopic 2- Describe AHV networking components and configuration settings- Register- Unregister a Nutanix Cluster with Prism CentralTopic 3- Explain security concepts like two-factor authentication, key management, cluster lockdown- Recall steps before adding a node to a new clusterTopic 4- Recall support limits for release families- Describe and differentiate features present in Acropolis, Prism (Element and Central), and AHVTopic 5- Recall license edition features and limits- Recall Prism Element features, limits, and benefitsTopic 6- Identify when to use an application tool vs an infrastructure tool- Determine application requirements including licensingTopic 7- Manage node operations in a Nutanix cluster- Recall how to upload supporting files for AOS upgradeTopic 8- Recall Prism Central features, limits, benefits, and dependencies- Recall Acropolis features, limits, and benefitsTopic 9- Gather requirements to create custom roles- Configure authentication sources- Recall AHV features, limits, and benefits

Q161. Deduplication is enabled on a container in a hybrid cluster. The administrator sees no disk space savings.

Which two configurations are causing this issue? (Choose two.)

- * Erasure coding is enabled on the container.
- * CVM memory is configured with 32 GB of RAM.
- * CVM memory is configured with 24 GB of RAM.
- * Post-process deduplication is disabled.

Q162. What is the maximum RPO that can be configured for VMs using the Near Sync feature?

- * 1 min
- * 10
- * 15
- * 60 min

Q163. An administrator wants to view the total IOPs, read & write IOPs on a single graph in prism Which type of chart on the analysis is capable of allowing this view?

- * metric chart
- * entity chart
- * performance chart
- * measurement charts

Q164. An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Procedure

Step

Shut down CVMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Nodes

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Guest VMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Stop the Cluster

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Procedure	Step					
Shut down CVMs	<table border="1"><tr><td>▼</td></tr><tr><td>Step 1</td></tr><tr><td>Step 2</td></tr><tr><td>Step 3</td></tr><tr><td>Step 4</td></tr></table>	▼	Step 1	Step 2	Step 3	Step 4
▼						
Step 1						
Step 2						
Step 3						
Step 4						
Shut down Nodes	<table border="1"><tr><td>▼</td></tr><tr><td>Step 1</td></tr><tr><td>Step 2</td></tr><tr><td>Step 3</td></tr><tr><td>Step 4</td></tr></table>	▼	Step 1	Step 2	Step 3	Step 4
▼						
Step 1						
Step 2						
Step 3						
Step 4						
Shut down Guest VMs	<table border="1"><tr><td>▼</td></tr><tr><td>Step 1</td></tr><tr><td>Step 2</td></tr><tr><td>Step 3</td></tr><tr><td>Step 4</td></tr></table>	▼	Step 1	Step 2	Step 3	Step 4
▼						
Step 1						
Step 2						
Step 3						
Step 4						
Stop the Cluster	<table border="1"><tr><td>▼</td></tr><tr><td>Step 1</td></tr><tr><td>Step 2</td></tr><tr><td>Step 3</td></tr><tr><td>Step 4</td></tr></table>	▼	Step 1	Step 2	Step 3	Step 4
▼						
Step 1						
Step 2						
Step 3						
Step 4						

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-shut-down-all-the-nodes-in-your-ahv-cluster-here-s-how-37326>

Q165. An administrator has a 3-node cluster and needs to enable Erasure Coding on a container.

Which action must the administrator take before enabling this feature?

- * Add a 4th node to the cluster
- * Upgrade to Prism Pro Licenses
- * Stop workloads on the cluster
- * Convert the cluster to AHV

Q166. In respect to 1 GbE and 10 GbE interfaces (physical host), which statements are true?

- * Do not include the 1 GbE interlaces in the same bond as the 10 GbE interlaces. Also, to avoid loops, do not add the 1 GbE interlaces to bridge br0, either individually or in a second bond. Use them on other bridges.
- * If you want to use the 1 GbE interfaces for guest VM connectivity, follow the hypervisor manufacturer's switch port and networking configuration guidelines.
- * If you want to use the 10 GbE interfaces for guest VM traffic, make sure that the guest VMs do not use the VLAN over which the

Controller VM and hypervisor communicate.

Q167. what information is shared through pulse? multi answer

- * system level statistics
- * metadata
- * identification data
- * system alerts

Q168. Which three drivers are included in the Nutanix virtio package? (choose three)

- * SCSI drivers
- * memory Balloon driver
- * USB driver
- * Video driver
- * NIC Drivers

Q169. Which two private key types are supported by the Nutanix SSL certificate implementation? (Choose two.)

- * ECDSA
- * ECDH
- * ED25519
- * RSA

Q170. A catastrophic failure occurs at the primary data center. A protection domain has been set up. All required data has been replicated to an offsite DR location.

Which button should an administrator click on at the remote site's protection domain to bring up the replicated VMs?

- * Migrate
- * Replicate
- * Online
- * Activate

Q171. An administrator needs to ensure that resource are reserved so that all VMs are able to restart in the event of a host failure.

Which steps should the administrator take to ensure the cluster is configured and operating appropriately?

- * In the Prism Hardware Desktop, select each host and confirm that RF is set to 3 under Host details.
- * Under the gear icon, select Manage VM high Availability and check Enable HA Reservation
- * Under the gear Icon, select Degraded Node Setting and confirm that no hosts are degraded.
- * On a Nutanix CVM, execute the command `ncli cluster get-domain fault-tolerance-status type=node`

Q172. Which two methods are available when migrating a VM from a legacy 3-tier solution using VMware ESXi to AHV? (Choose two.)

- * Deploy the Move appliance.
- * Use Cross-Hypervisor DR.
- * Import the .vmdk into the Image Service.
- * Use shared nothing live migration.

Q173. A cluster has RF2. The cluster loses two drives on different nodes in the same storage tier.

What is the effect on the replicas of the VMs?

- * Some VM data may be lost
- * No VMs lose data if the node has two or more SSDs

- * Some VMs may reboot and gain access to data
- * No VMs lose data because of RF2

Q174. what command is used to run the nutanix cluster checks from the CVM CLI?

- * ncc health_check run_all
- * ncc run_all_health_check
- * ncc check_all health_options
- * ncc check_health run_all

Q175. what additional features are available with prism pro(prism central with pro license)? (Choose two)

- * centralized upgrades
- * VM right-sizing
- * vm tagging

Updated NCP-MCI-5.20 Certification Exam Sample Questions:

<https://www.topexamcollection.com/NCP-MCI-5.20-vce-collection.html>