


[2024 201-450 Exam Dumps, Test Engine Practice Test Questions [Q97-Q114]



[2024] 201-450 Exam Dumps, Test Engine Practice Test Questions [Q97-Q114]

[2024] 201-450 Exam Dumps, Test Engine Practice Test Questions
Pass 201-450 exam [Feb 24, 2024] Updated 162 Questions

NEW QUESTION 97

The following is an excerpt from the output of tcpdump -nli eth1:

```
1 3:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.21: Flags [.] , ack 1 (truncated)
```

1 3:03:17.598624 IP 192.168.5.112.21 > 192.168.123.5.1065: Flags [P.] , seq (truncated) Which network service or protocol was used?

- * FTP
- * HTTP
- * SSH
- * DNS
- * DHCP

NEW QUESTION 98

What is the command to add another IP address (192.168.1.2) to a network interface (eth0) that already has (at least) one IP address in the 192.168.1.0/24 subnet?

- * ip addr add 192.168.1.2/32 dev eth0
- * ifconfig eth0 192.168.1.2 netmask 255.255.255.255
- * ip addr add 192.168.1.2/32 dev eth0
- * ipconfig eth0 192.168.1.2

NEW QUESTION 99

Which of the filter keywords below could be used in the following command:

```
tcpdump -i eth0 _____ 203.0.113.8
```

(Choose three.)

- * host
- * ip
- * src
- * dst
- * ipv6

NEW QUESTION 100

CORRECT TEXT

What is the device name for the first SCSI tape drive on a system when used without automatic rewinding after each write operation? (Please specify the full path to the device.)

/dev/nst0

NEW QUESTION 101

CORRECT TEXT

According to the tcpdump output below, what is the IP address of the client host?

```
02:12:40.511381 IP 192.168.246.11.1045 > 192.168.246.1.22: S
```

```
3838532429:3838532429(0) win 5840 <mss 1460,sackOK,timestamp
```

```
31325740,nop,wscale 2>
```

```
02:12:40.511540 IP 192.168.246.1.22 > 192.168.246.11.1045: S
```

```
1209330085:1209330085(0) ack 383853 2430 win 5792 <mss 1460,sackOK,timestamp
```

```
11553457 3132574,nop,wscale 0>
```

```
0 2:12:40.511755 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 1 win 1460
```

```
< nop,nop,timestamp 3 132574 11553457>
```

0 2:12:40.515122 IP 192.168.246.1.22 > 192.168.246.11.1045: P 1:26(25) ack 1 win 5792

< nop,nop,timestamp 11553460 3132574>

0 2:12:40.515511 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 26 win 1460

< nop,nop,timestamp 3132578 11553460>

0 2:12:40.515952 IP 192.168.246.11.1045 > 192.168.246.1.22: P 1:23(22) ack 26 win 1460

< nop,nop,timestamp 3132578 11553460>

192.168.246.11

NEW QUESTION 102

CORRECT TEXT

Which file contains the message that is displayed above the login prompt of the system console? (Specify the full name of the file, including path.)

/etc/issue

NEW QUESTION 103

Which of the following commands restores only those files containing lpi in their name from the archive lpifiles.tar.gz?

- * tar xvfz lpifiles.tar.gz –wildcards ‘*lpi*’
- * tar xvzvf lpifiles.tar.gz ‘*lpi*’
- * tar -xvfz lpifiles.tar.gz –deep ‘*lpi*’
- * tar -xvfz lpifiles.tar.gz –subdirs ‘*lpi*’
- * tar xvfz lpifiles.tar.gz –globbing ‘*lpi*’

NEW QUESTION 104

Fill in the blank.

The users of the local network complain that name resolution is not fast enough. Which command shows the time taken to resolve a DNS query? (Specify the command without path.)

dig

NEW QUESTION 105

Due to extreme system use, a Linux system requires some additional swap space. To initialize 5GB of additional swap space, which combination of commands should be used?

- * dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; mount

/tmp/swapfile

- * dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; swapon /tmp/swapfile
- * dd if=/dev/zero of=/tmp/swapfile bs=1024 count=5120000; mkswap /tmp/swapfile; swapon /tmp/swapfile
- * touch -5G /tmp/swapfile; swapon /tmp/swapfile
- * mkswap /tmp/swapfile 512000; swapon /tmp/swapfile

NEW QUESTION 106

What is the purpose of the command `vgextend`?

- * Extend a volume group's footprint on disk.
- * Add physical volumes to an existing volume group.
- * Increase the number of days between scheduled error checking.
- * Create a volume group which uses all available space on disk.

NEW QUESTION 107

A regular user, joe, has just run:

```
./configure && make && make install
```

to build and install a program. However, the installation fails. What could be done to install the program? (Choose TWO correct answers.)

- * Install the binaries manually with `suinstall`.
- * Run `make install` with root privileges.
- * Do not run `./configure` in order to maintain the default configuration for correct installation.
- * Rerun `./configure` with a `--prefix` option where the user has permissions to write.
- * Run `make install_local` to install into `/usr/local/`.

NEW QUESTION 108

In the below example output, which columns detail the percent of time the CPU spent running non-kernel code and the percent of time the CPU spent running kernel code?

(Choose TWO correct answers.)

```
# vmstat 1 100
```

```
procs r b swpd free buff cache si so bi bo in cs us sy id wa
```

```
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
```

```
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- * id
- * us
- * wa
- * sy

NEW QUESTION 109

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the

network 10.10.1.0/24? (Select TWO answers) Kernel IP routing table Destination Gateway Genmask Flags Metric Ref Use Iface

```
2 03.0.113.162 0.0.0.0 255.255.255.255 UH 0 0 0 ppp0
```

```
1 72.16.87.0 0.0.0.0 255.255.255.0 U 0 0 0 eth0
```

```
1 92.168.246.0 0.0.0.0 255.255.255.0 U 0 0 0 eth1
```

```
1 0.10.1.0 192.168.246.11 255.255.255.0 UG 0 0 0 eth1
```

```
1 27.0.0.0 0.0.0.0 255.0.0.0 U 0 0 0 lo
```

```
0 .0.0.0 203.0.113.162 0.0.0.0 UG 0 0 0 ppp0
```

- * ip net delete 10.10.1.0/24
- * route del 10.10.1.0/24
- * route del -net 10.10.1.0/24
- * route del 10.10.1.0/24 gw 192.168.246.11
- * ip route delete 10.10.1.0/24

NEW QUESTION 110

What component of a system does smartdmonitor?

- * CPU
- * RAM
- * Hard drives
- * Ethernet traffic

NEW QUESTION 111

What is incorrect about these entries in /etc/hosts which could be causing host name lookup problems with host2?

```
host1 192.168.1.12
```

```
host2 192.168.1.12
```

- * Two host names are using the same IP address.
- * The server doing the query is on a different subnet.
- * The fields are out of order.
- * host2 is not a fully qualified domain name.

NEW QUESTION 112

A system with SysV-init has a service installed called apache2. Which file controls the start and stop of this service and is referenced by the various runlevel directories?

- * /etc/init.d/apache2
- * /etc/rc2.d/70apache2
- * /etc/rc2.d/apache2
- * /etc/rc2.d/apache2.start

NEW QUESTION 113

Which of the following commands will securely copy the directory `./fyf/` to `/var/tmp/` on the remote host `deltaur` using the remote user account `kevin`?

- * `rsync -a -e ssh kevin@deltaur:/var/tmp/ fyf/`
- * `rsync -a -u kevin -e ssh fyf/ deltaur:/var/tmp/`
- * `rsync -a -u kevin -e ssh deltaur:/var/tmp/ fyf/`
- * `rsync -a -e ssh fyf/ kevin@deltaur:/var/tmp/`

NEW QUESTION 114

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- * `initrd`
- * `linux`
- * `menuentry`
- * `runlevel`

Lpi 201-450 Real 2024 Braindumps Mock Exam Dumps: <https://www.topexamcollection.com/201-450-vce-collection.html>