


## [Nov 27, 2024 D-VXR-DY-01 Exam Dumps 100% Same Q&A In Your Real Exam [Q196-Q212]



[Nov 27, 2024] D-VXR-DY-01 Exam Dumps 100% Same Q&A In Your Real Exam  
D-VXR-DY-01 Test Engine Dumps Training With 345 Questions

### NEW QUESTION 196

When populating the VxRail Installation wizard for an External vCenter solution, what is the correct format for hostnames?

- \* vCenter, PSC, and VxRail Manager should use host name only
- \* VxRail Manager and vCenter should use FQDN; PSC should use host name only
- \* vCenter and PSC should use FQDN; VxRail Manager should use host name only
- \* vCenter, PSC, and VxRail Manager should use FQDN

### NEW QUESTION 197

What is the basis used for VMware vSAN licensing?

- \* Per CPU socket
- \* TB capacity per cluster
- \* TB capacity per node

- \* Per disk group

### NEW QUESTION 198

Dell EMC will be responsible for the configuration of ToR and Management switches for a VxRail deployment.

Where should these details be documented?

- \* Dell EMC Fabric Design Center
- \* VxRail Appliance PEQ
- \* Dell EMC VxRail Configuration Portal
- \* VxRail Network PEQ

### NEW QUESTION 199

What is a consideration when performing a VxRail software upgrade from version 4.7.xxx to version 7.0.xxx?

- \* vCenter Server requires a temporary IP address on a different subnet before the upgrade
- \* VxRail Manager VM must be changed to the default name to avoid an upgrade failure
- \* External vCenter server must be upgraded after the VxRail is upgraded
- \* Secure boot must be enabled on the ESXi hosts for a successful upgrade

### NEW QUESTION 200

During a VxRail installation, the deployment fails at 9%.

```
    },
    "vcenter": {
      "ip": ""
    },
    "psc": {
      "ip": ""
    },
    "evorail": {
      "ip": "192.168.80.12"
    }
  },
  "hostnames": {
    "hosts": {
      "prefix": "vxrail-01-0000",
      "separator": "-",
      "separator2": "NUMERIC_N"
    },
    "cid": "vlab.local",
    "vcenter": "",
    "psc": "",
    "evorail": "vxrail-ctl-manager"
  },
  "passwords": {
    "esxiPassword": "Welcome! ",
    "esxiPasswordConfirm": "Welcome! ",
    "vcPassword": "Welcome! ",
    "vcPasswordConfirm": "Welcome! ",
    "activeDirectoryDomain": "",
    "activeDirectoryUsername": "",
    "activeDirectoryPassword": "",
    "activeDirectoryPasswordConfirm": ""
  },
  "global": {
    "logging": "NONE",
    "timezone": "europe/brussels",
    "loginsightServer": "",
    "loginsightHostname": "",
    "syslogServerCSV": "",
    "ntpServerCSV": "192.168.80.1"
```

Based on the exhibit, what could be the reason for this failure?

- \* Domain name .local is not supported
- \* Password field has an extra space
- \* vCenter and PSC information is missing
- \* Time zone is in an incorrect format

### NEW QUESTION 201

What is the recommended way to power up VxRail E, V, P, and S Series nodes?

- \* Ensure the System Health indicator blinks amber for 10 minutes after power on
- \* Use the power button on the rear panel to power on each node
- \* Wait at least 30 seconds between powering up each node
- \* Use the iDRAC interface to power on each node

### NEW QUESTION 202

Which tool is required to re-image a VxRail G560F system?

- \* POST
- \* RASR
- \* MBS
- \* BOSS

### NEW QUESTION 203

What is the correct CLI command to collect only the vCenter logs on VxRail Manager?

- \* `vc-support-bundle.sh -c`
- \* `generateFullBundle.py -v`
- \* `vc-support.sh -v`
- \* `generateLogBundle.py -c`

### NEW QUESTION 204

Which VxRail Pre-Installation Site Checklist worksheet is auto-populated?

- \* Network Basics
- \* Switch Config Actuals
- \* VxRail Network Configuration
- \* Begin Here

### NEW QUESTION 205

A company has a simple, 4 node VxRail cluster. The VxRail is running version 3.5 and utilizes a vSphere standard license. The company has asked for a VxRail software upgrade.

What are the steps for the upgrade?

- \* Log in to VxRail Manager, select `Internet Upgrade`, then follow the prompts.
- \* Log in to `support.emc.com` and download the upgrade packages.
- \* Place all four nodes into maintenance mode.
- \* Contact Dell EMC support to request the upgrade to the VxRail cluster.

### NEW QUESTION 206

RecoverPoint for VM has been deployed on a VxRail cluster. Data protection and management capabilities are provided within the vSphere management interface.

What method within vSphere Operations should be used to ensure a successful outcome?

- \* Air-gap data to and from the Data Center during a disaster, ensuring that the business does not suffer.
- \* Replicate data to and from SAP environment during a disaster, ensuring that the business suffers no downtime.
- \* Replicate data to and from remote offices before a disaster, ensuring that the business suffers no downtime.
- \* Back up data from remote offices before a disaster, ensuring that the business suffers minimal downtime allowing restore data.

### NEW QUESTION 207

After finishing the rack and stack of a fully populated VxRail G560 chassis, in what sequence should the nodes be powered on?

- \* Any order &#8211; sequence is not important
- \* All four nodes at the same time
- \* Must be in the following order: 4, 3, 2, 1
- \* Must be in the following order: 1, 2, 3, 4

### NEW QUESTION 208

While preparing for an onsite visit for an installation of a VxRail cluster, a Dell installation engineer is unable to generate a Restricted Procedure in the SolVe Online portal.

What is the cause?

- \* The SolVe Online portal is viewed as a customer
- \* The engineer has not been approved for VxRail procedures in the SolVe Online portal
- \* SolVe Online portal has not been updated with the latest procedures

### NEW QUESTION 209

Which VxRail model can only be installed with static rack rails?

- \* V Series
- \* S Series
- \* G Series
- \* P Series

### NEW QUESTION 210

Which VxRail Series is designed to support a VDI environment and requires a GPU card in each host?

- \* S Series
- \* V Series
- \* G Series
- \* P Series

### NEW QUESTION 211

After a successful installation, where in VxRail Manager should you collect logs?

- \* CONFIG > General > Log Collection > Generate New Log Bundle
- \* CONFIG > General > System Diagnostics > Generate New Log Bundle

- \* CONFIG > System > Log Collection > Diagnose
- \* CONFIG > System > System Diagnostics > Diagnose

### **NEW QUESTION 212**

What is a permissible configuration when performing a cluster expansion?

- \* Mixing of AMD-based nodes and Intel-based nodes.
- \* Use 25 GbE for VMNetwork, 10 GbE for VSAN, and 1 GbE for Management.
- \* Mixing of all-flash and all-NVMe nodes in a cluster.
- \* New nodes should be on a different subnet prior to deployment.

**D-VXR-DY-01 Practice Test Pdf Exam Material:** <https://www.topexamcollection.com/D-VXR-DY-01-vce-collection.html>